

THE EPWORTH SLEEPINESS SCALE

How likely are you to doze off or fall asleep in the following situations?

√ Check one in each row:	0 No chance of dozing	1 Slight chance of dozing	2 Moderate chance of dozing	3 High chance of dozing
Sitting and reading	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Watching TV	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting inactive in a public place (e.g. a theater or a meeting)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
As a passenger in a car for an hour without a break	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lying down to rest in the afternoon when circumstances permit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting and talking to someone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting quietly after a lunch without alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In a car, while stopped for a few minutes in traffic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Patient Signature _____

Date _____

Sleep Center Evaluation

Have you ever had an evaluation at a Sleep Center? Yes No

If Yes:

Sleep Center Name _____
and location _____

Sleep Study Date _____

FOR OFFICE USE ONLY

The evaluation confirmed a diagnosis of: *mild*
 moderate obstructive sleep apnea
 severe

The evaluation showed an RDI of _____ and an AHI of _____

CPAP Intolerance (Continuous Positive Airway Pressure device)

If you have attempted treatment with a CPAP device, but could not tolerate it please fill in this section:

I could not tolerate the CPAP device due to:

- mask leaks
- I was unable to get the mask to fit properly
- discomfort caused by the straps and headgear
- disturbed or interrupted sleep caused by the presence of the device
- noise from the device disturbing my sleep and/or bed partner's sleep
- CPAP restricted movements during sleep
- CPAP does not seem to be effective
- pressure on the upper lip causing tooth related problems
- of a latex allergy
- claustrophobic associations
- an unconscious need to remove the CPAP apparatus at night

Other: _____

Other Therapy Attempts

What other therapies have you had for breathing disorders?
(weight-loss attempts, smoking cessation for at least one month, surgeries, etc.)

Patient Signature _____

Date _____

List any medications which have caused an allergic reaction:

- N Antibiotics
 N Aspirin
 N Barbiturates
 N Codeine
 N Iodine
 N Latex
 N Local anesthetics

- N Metals
 N Penicillin
 N Plastic
 N Sedatives
 N Sleeping pills
 N Sulfa drugs

Other allergens:

List any medications you are currently taking:

- N Antacids
 N Antibiotics
 N Anticoagulants
 N Antidepressants
 N Anti-inflammatory drugs
 (non-steroid)
 N Barbiturates
 N Blood thinners

- N Codeine
 N Cortisone
 N Diet pills
 N Heart medication
 N High blood pressure medication
 N Insulin
 N Muscle relaxants
 N Nerve pills

- N Pain medication
 N Sleeping pills
 N Sulfa drugs
 N Tranquilizers

Other current medications:

Medical History

- N Anemia
 N Arteriosclerosis
 N Asthma
 N Autoimmune disorders
 N Bleeding easily
 N Chronic sinus problems
 N Chronic fatigue
 N Congestive heart failure
 N Current pregnancy
 N Diabetes
 N Difficulty concentrating
 N Dizziness
 N Emphysema
 N Epilepsy
 N Fibromyalgia
 N Frequent sore throats
 N Gastroesophageal Reflux
 Disease (GERD)
 N Hay fever
 N Heart disorder
 N Heart murmur
 N Heart pounding or beating
 irregularly during the night

- N Heart pacemaker
 N Heat valve replacement
 N Heartburn or a sour taste
 in the mouth at night
 N Hepatitis
 N High blood pressure
 N Immune system disorder
 N Injury to
 Face Neck
 Head Mouth Teeth
 N Insomnia
 N Irregular heart beat
 N Jaw joint surgery
 N Low blood pressure
 N Memory loss
 N Migraines
 N Morning dry mouth
 N Muscle spasms or
 cramps
 N Needing extra pillows to
 help breathing at night
 N Nighttime sweating

- N Osteoarthritis
 N Osteoporosis
 N Poor circulation
 N Prior orthodontic treatment
 N Recent excessive weight
 gain
 N Rheumatic fever
 N Shortness of breath
 N Swollen, stiff or painful
 joints
 N Thyroid problems
 N Tonsillectomy (have had)
 N Wisdom teeth extraction

Other medical history:

Patient Signature _____

Date _____

Family History

1. Have any members of your family (blood kin) had:
- | | | |
|------------------------------|-----------------------------|---------------------|
| Yes <input type="checkbox"/> | No <input type="checkbox"/> | Heart disease |
| Yes <input type="checkbox"/> | No <input type="checkbox"/> | High blood pressure |
| Yes <input type="checkbox"/> | No <input type="checkbox"/> | Diabetes |
2. Have any immediate family members been diagnosed or treated for a sleep disorder? Yes No

Social History

Alcohol consumption: How often do you consume alcohol within 2-3 hours of bedtime?
 Never Once a week Several days a week Daily

Sedative consumption: How often do you take sedatives within 2-3 hours of bedtime?
 Never Once a week Several days a week Daily

Caffeine consumption: How often do you consume caffeine within 2-3 hours of bedtime?
 Never Once a week Several days a week Daily

Tobacco consumption: Smokeless Smoker _____ Number of packs per day

Patient Signature _____

Date _____